	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1	"5487258".pn.	USPAT
2	BRS	L2	1	"5987258".pn.	USPAT
3	BRS	L3	1	"5896517".pn.	USPAT
4	BRS	L4	1	"4217638".pn.	USPAT
5	BRS	L9	0	"8252308"	USPAT
6	BRS	L10	0	"8252308".an.	USPAT
7	BRS	L11	0	"08252308"	USPAT
8	BRS	L15	19	712/202.ccls.	US-PGPUB
9	BRS	L16	318	712/216-219.ccls.	US-PGPUB
10	BRS	L17	21	712/222.ccls.	US-PGPUB
11	BRS	L18	157	712/225.ccls.	US-PGPUB
12	BRS	L19	176	712/227.ccls.	US-PGPUB
13	BRS	L20	53	712/229.ccls.	US-PGPUB
14	BRS	L21	88	712/244.ccls.	US-PGPUB
15	BRS	L22	52	703/26.ccls.	US-PGPUB
16	BRS	L28	61	fxch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L29	23674	(exchang$3 or switch$3 or swap$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L30	25115	(exchang$3 or switch$3 or swap$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L31	8581	(exchang$3 or switch$3 or swap$4) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L32	1021	((exchang$3 or switch$3 or swap$4) near3 stack) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
21	BRS	L33	174	((exchang$3 or switch$3 or swap$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L34	86	((exchang$3 or switch$3 or swap$4) near3 stack) and exception and dependency and microcode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L35	91	((exchang$3 or switch$3 or swap$4) near3 stack) and exception and dependency and (microcode or (micro adj code) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L36	9084	((exchang$3 or switch$3 or swap$4) near3 stack) and exception and dependency and (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L37	9047	((exchang$3 or switch$3 or swap$4) near3 stack) with exception with dependency with (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
26	BRS	L38	0	((exchang$3 or switch$3 or swap$4) near3 stack) with exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L39	0	((exchang$3 or switch$3 or swap$4) near3 stack) near2 exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L40	0	((exchang$3 or switch$3 or swap$4) near3 stack) same exception same dependency same ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L41	0	((exchang$3 or switch$3 or swap$4) near3 stack) same exception same dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L42	174	((exchang$3 or switch$3 or swap$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L43	86	((exchang$3 or switch$3 or swap$4) near3 stack) and exception and dependency and (microcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
32	BRS	L44	91	((exchang$3 or switch$3 or swap$4) near3 stack) and exception and dependency and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L46	19	712/202.ccls.	US-PGPUB
34	BRS	L47	318	712/216-219.ccls.	US-PGPUB
35	BRS	L48	21	712/222.ccls.	US-PGPUB
36	BRS	L49	157	712/225.ccls.	US-PGPUB
37	BRS	L50	176	712/227.ccls.	US-PGPUB
38	BRS	L51	53	712/229.ccls.	US-PGPUB
39	BRS	L52	88	712/244.ccls.	US-PGPUB
40	BRS	L53	52	703/26.ccls.	US-PGPUB
41	BRS	L66	82	overrid$3 near2 dependen$3	USPAT
42	BRS	L67	353	(overrid$3 or overcom$3) near2 dependen$3	USPAT
43	BRS	L70	3	(overrid$3 or overcom$3 or bypass$3) near2 dependen$3 same stack	USPAT
44	BRS	L72	19	712/202.ccls.	US-PGPUB
45	BRS	L73	318	712/216-219.ccls.	US-PGPUB
46	BRS	L74	21	712/222.ccls.	US-PGPUB
47	BRS	L75	157	712/225.ccls.	US-PGPUB
48	BRS	L76	176	712/227.ccls.	US-PGPUB
49	BRS	L77	53	712/229.ccls.	US-PGPUB
50	BRS	L78	88	712/244.ccls.	US-PGPUB
51	BRS	L79	52	703/26.ccls.	US-PGPUB
52	BRS	L92	42	floating near2 point near exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	BRS	L93	63	floating near2 point near2 exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
54	BRS	L94	0	"8252308"	USPAT
55	BRS	L95	0	"8252308".an.	USPAT
56	BRS	L96	0	"08252308"	USPAT
57	BRS	L97	19	712/202.ccls.	US-PGPUB
58	BRS	L98	318	712/216-219.ccls.	US-PGPUB
59	BRS	L99	21	712/222.ccls.	US-PGPUB
60	BRS	L100	157	712/225.ccls.	US-PGPUB
61	BRS	L101	176	712/227.ccls.	US-PGPUB
62	BRS	L102	53	712/229.ccls.	US-PGPUB
63	BRS	L103	88	712/244.ccls.	US-PGPUB
64	BRS	L104	52	703/26.ccls.	US-PGPUB
65	BRS	L117	0	"8252308"	USPAT
66	BRS	L118	0	"8252308".an.	USPAT
67	BRS	L119	0	"08252308"	USPAT
68	BRS	L120	19	712/202.ccls.	US-PGPUB
69	BRS	L121	318	712/216-219.ccls.	US-PGPUB
70	BRS	L122	21	712/222.ccls.	US-PGPUB
71	BRS	L123	157	712/225.ccls.	US-PGPUB
72	BRS	L124	176	712/227.ccls.	US-PGPUB
73	BRS	L125	53	712/229.ccls.	US-PGPUB
74	BRS	L126	88	712/244.ccls.	US-PGPUB
75	BRS	L127	52	703/26.ccls.	US-PGPUB
76	BRS	L5	1	"6668315".pn.	USPAT
77	BRS	L6	1	"6079011".pn.	USPAT
78	BRS	L7	1	"5696595".pn.	USPAT
79	BRS	L8	1	"5696955".pn.	USPAT
80	BRS	L12	1	"6487657".pn.	USPAT
81	BRS	L13	1	"5649225".pn.	USPAT
82	BRS	L14	1	"20040068641"	US-PGPUB
83	BRS	L23	1	"5696955".pn.	USPAT
84	BRS	L54	1	"6668315".pn.	USPAT
85	BRS	L55	1	"6079011".pn.	USPAT
86	BRS	L56	1	"5696595".pn.	USPAT
87	BRS	L57	1	"5696955".pn.	USPAT
88	BRS	L58	1	"6487657".pn.	USPAT
89	BRS	L59	1	"5649225".pn.	USPAT
90	BRS	L60	1	"20040068641"	US-PGPUB
91	BRS	L61	1	"5696955".pn.	USPAT
92	BRS	L80	1	"6668315".pn.	USPAT
93	BRS	L81	1	"6079011".pn.	USPAT
94	BRS	L82	1	"5696595".pn.	USPAT
95	BRS	L83	1	"5696955".pn.	USPAT

96	BRS	L84	1	"6487657".pn.	USPAT
97	BRS	L85	1	"5649225".pn.	USPAT

	Type	L #	Hits	Search Text	DBs
98	BRS	L86	1	"20040068641"	US-PGPUB
99	BRS	L87	1	"5696955".pn.	USPAT
100	BRS	L105	1	"6668315".pn.	USPAT
101	BRS	L106	1	"6079011".pn.	USPAT
102	BRS	L107	1	"5696595".pn.	USPAT
103	BRS	L108	1	"5696955".pn.	USPAT
104	BRS	L109	1	"6487657".pn.	USPAT
105	BRS	L110	1	"5649225".pn.	USPAT
106	BRS	L111	1	"20040068641"	US-PGPUB
107	BRS	L112	1	"5696955".pn.	USPAT
108	BRS	L128	1	"6668315".pn.	USPAT
109	BRS	L129	1	"6079011".pn.	USPAT
110	BRS	L130	1	"5696595".pn.	USPAT
111	BRS	L131	1	"5696955".pn.	USPAT
112	BRS	L132	1	"6487657".pn.	USPAT
113	BRS	L133	1	"5649225".pn.	USPAT
114	BRS	L134	1	"20040068641"	US-PGPUB
115	BRS	L135	1	"5696955".pn.	USPAT
116	BRS	L140	1	"6681632".pn.	USPAT
117	BRS	L141	1	"5829049".pn.	USPAT
118	BRS	L25	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
119	BRS	L26	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
120	BRS	L27	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
121	BRS	L45	84	((exchang$3 or switch$3 or swap$4) near3 stack) and exception and underflow and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
122	BRS	L62	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
123	BRS	L63	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
124	BRS	L64	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
125	BRS	L68	2	(overrid$3 or overcom$3) near2 dependen$3 with stack	USPAT
126	BRS	L69	3	(overrid$3 or overcom$3) near2 dependen$3 same stack	USPAT
127	BRS	L71	2	speculat$4 with dependen$3 with stack	USPAT
128	BRS	L88	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
129	BRS	L89	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
130	BRS	L90	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
131	BRS	L113	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
132	BRS	L114	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
133	BRS	L115	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
134	BRS	L136	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
135	BRS	L137	99	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
136	BRS	L138	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
137	BRS	L24	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
138	BRS	L65	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
139	BRS	L91	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
140	BRS	L116	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
141	BRS	L139	114	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB